



# Tiger Serve 2.6.2 Release Notes

<i>What's New</i> . . . . .	2
<i>Fixed Known Issues in Version 2.6.2</i> . . . . .	2
<i>Upgrading to Version 2.6.2</i> . . . . .	3
<i>Best Practices</i> . . . . .	5
<i>New Known Issues</i> . . . . .	11
<i>Unresolved Known Issues</i> . . . . .	12

This document provides release information for Tiger Serve version 2.6.2. It discusses new features in this release as well as best practices, fixed and known issues.

## **What's New**

### **Teaming Network Ports**

To facilitate you with assigning IP addresses to the network ports of the appliance, Tiger Serve 2.6.2 allows you to team the ports of a single 1/10 Gb network card. This way all ports of a network card will be accessible through a single IP address. You can unteam the ports of a network card at any time. For more information, refer to the Tiger Serve Administration Guide.

The support for network ports teaming is provided with some limitations. See “Teaming Network Ports Known Issues” on page 11.

### **Managing projectStore Data in the Volume Browser**

When replication & tiering is enabled on your Tiger Serve network, the Volume drop-down box of the Volume Browser now lists and allows you to browse the projectStore depot of each volume, on which support for projectStore is enabled. This allows you to manually manage projectStore data, by replicating files (or whole folders), creating stub files, restoring files from the replication tier or deleting files.

### **Hiding Volumes on which Support for projectStore is Enabled**

To facilitate the projectStore workflow on your Tiger Serve network, projectStore 3.6.2 introduces the option to hide selected shared volumes on Tiger Client computers, thus letting users mount just the project drives they are currently working with. Once the option is enabled on a volume, no Tiger Client will be able to mount it even though it is connected to the storage server that shares it. You can enable and disable this option at any time on any volume with enabled support for projectStore. For more information, refer to the projectStore 3.6.2 User's Guide.

## **Fixed Known Issues in Version 2.6.2**

### **Connecting Linux Tiger Client to More than One Storage Server Simultaneously**

With version 2.6.2 Linux Tiger Clients can connect to and mount the volumes shared by two or more storage servers simultaneously.

## **Improved File Paths Synchronization between a Volume Pool and Replication Tier**

Version 2.6.2 improves the synchronization of file paths between a volume pool and the replication tier, ensuring that you can restore replicated data even if you rename a folder on your shared storage.

## **Generating FCPX Previews in Domain Environment**

With version 2.6.2 Mac OS X Tiger Clients can normally generate Final Cut Pro previews on the shared volumes, when they are deployed in domain environment.

## **Improved Support for Failover between Server Nodes**

Version 2.6.2 resolves a problem that could prevent subsequent failover between Tiger Serve nodes if one of the volumes seen by the appliance was Private.

## **Icon of Restored Files on Mac OS X Mountain Lion**

When on Mac OS X Mountain Lion you restore a file from the Replication volume to the Tiger Serve volume, this file no longer appears as a stub file in the Finder.

## **Upgrading to Version 2.6.2**

**Important:** *All computers on your Tiger Serve network must run the same version of the software.*

To upgrade your Tiger Serve network to version 2.6.2 you must first install the update on the appliance and after that download and install the updated Tiger Client software on each Tiger Client computer. The procedure for upgrading your Tiger Serve appliance differs depending on whether both server nodes are online or just one.

The firmware update doesn't keep any settings except the IP addresses and name of the storage server. On an appliance with two server nodes, both of which are online, to preserve the settings configuration you can back it up before uploading the firmware update and then restore it after upgrading to this new version. On an appliance with just one server node, or with two server nodes, but one of them currently offline, you cannot back up the settings configuration and will have to manually re-configure all settings after upgrading to this new version.

Once you upgrade the appliance, the web interface provides the updated list with Tiger Client software and you can upgrade all client computers. On Mac OS X and Linux, you should first uninstall the previous version of the Tiger Client software and after that perform a clean installation. On Windows, you can upgrade the Tiger Client software without uninstalling the previous version, following the steps below.

**Note:** *Software version 2.6.2 is compatible with projectStore 3.5.1 and later. If you want to benefit from the features available in projectStore 3.6.2, you need to upgrade it on your storage server, following the steps described in the projectStore 3.6.2 release notes: <http://www.tiger-technology.com/projectstore-3-6-2-release-notes/>*

### **To upgrade a Tiger Serve appliance with 2 server nodes to version 2.6.2:**

- 1.** In the left pane of the web interface, click System and then Maintenance.
- 2.** In Back Up System Settings, click Back Up.
- 3.** Provide the password for the web interface and click Continue.  
A standard dialog opens that allows you to browse for a location where to save the settings backup file.
- 4.** Select the location where to save the file and click Save.
- 5.** In the Maintenance page, click Enter Maintenance mode and then confirm that you want to enter Maintenance mode.  
**Important:** *All connected Tiger Clients will be automatically disconnected from the shared volumes and any file operation going on at the moment will be canceled.*
- 6.** Go to HA Nodes and in the tile of each server node, click Manage Node.  
The node view of each server node opens in a new tab/window of your web browser.
- 7.** In the node view of the first server node, go to System | Maintenance.
- 8.** In Firmware Update, click Browse/Choose file and then browse for and select the file containing the 2.6.2 update to upload.
- 9.** Click Continue to confirm that you want to perform firmware update.
- 10.** In the node view of the second server node, go to System | Maintenance.
- 11.** In Firmware Update, click Browse/Choose file and then browse for and select the file containing the 2.6.2 update to upload.
- 12.** Click Continue to confirm that you want to perform firmware update.  
When the firmware update finishes, both server nodes automatically restart.
- 13.** In the left pane of the web interface, click System and then Maintenance.
- 14.** In Restore System Settings, click Restore.
- 15.** Provide the password for the web interface and click Continue.
- 16.** In the dialog that opens, browse to and select the file containing the configuration backup, then click Open.

**Tip:** *By default, the file with the backed up configuration is saved with the following name: [storage server name]\_[time]\_[date]\_backup.json*

**17.** Tiger Serve imports the selected backup file and then automatically restarts.

Once the appliance restarts, all clients can connect to the web interface and download the updated version of the Tiger Client software for their operating system.

### **To upgrade a Tiger Serve appliance with one server node to version 2.6.2:**

1. In the left pane of the web interface, click System and then Maintenance.
2. In the Maintenance page, click Enter Maintenance mode and then confirm that you want to enter Maintenance mode.

**Important:** *All connected Tiger Clients will be automatically disconnected from the shared volumes and any file operation going on at the moment will be canceled.*

3. In Firmware Update, click Browse/Choose file and then browse for and select the file containing the 2.6.2 update to upload.
4. Click Continue to confirm that you want to perform firmware update.

When the firmware update finishes, the appliance automatically restarts.

Once the appliance restarts, all clients can connect to the web interface and download the updated version of the Tiger Client software for their operating system.

### **To upgrade Tiger Client to version 2.6.2:**

1. Access the web interface of the storage server.
2. Find the Tiger Client installation for your operating system and click Download.
3. Once the installation downloads to your computer, run it, following the installation steps described in the Tiger Serve Administration Guide.

## **Best Practices**

### **Avoid to Back Up the Settings Configuration in Maintenance Mode**

Tiger Serve cannot ensure the consistency of the settings configuration backup, when you save it while in Maintenance mode. To avoid possible problems, it is advisable to always back up and restore the settings configuration when the appliance is not running in Maintenance mode.

### **Granting Full Control to the System Account**

In Windows, the built-in System account, used by the operating system and by services, by default has Full Control to all files on an NTFS volume. To provide for the normal operation of Tiger Serve, it is advisable not to change the Full Control permissions of this account.

For details about displaying the System account when setting permissions and granting Full Control to it, refer to your Windows documentation.

## **Detaching Shared Volumes from Tiger Serve for Use on Another Computer**

To protect volumes from data corruption that could occur when multiple computers have access to them simultaneously, Tiger Serve marks the volumes it manages. To be able to mount a volume without Tiger Serve, this volume needs to be unmarked. Tiger Serve automatically unmarks all volumes with Offline status. If you intend to physically disconnect a volume for use on another computer, you must first change the status of this volume to Offline. If you fail to set the volume to Offline, you need to contact Tiger Technology support for assistance on unmarking the volume.

## **Assigning IP Addresses to Network Ports**

The appliance must have an IP address for each network port through which it is connected to Tiger Clients (directly or via an Ethernet switch) - the Public port and all available 10GbE ports. The IP address you assign to each network port must be on the same LAN as the Tiger Client that will communicate with the appliance through this port.

### **IP Addresses of 10GbE Ports**

When a Fast LAN Tiger Client can reach the appliance both through the Public port and the 10GbE port, it is sometimes possible a request from this Tiger Client to be redirected through the 1GbE port instead of the fast 10GbE port. The problem can be observed with Tiger Serve appliances with two server nodes and is reproducible when the node you have added to your storage servers list tries to redirect you to the other server node, which is currently playing the role of a primary node. To avoid the problem, it is highly advisable to set the IP addresses of the 10GbE ports of both the appliance and the Tiger Clients to be on a separate LAN or on a subnet of the LAN used by the Public port.

For example, if the Public port uses IP address 172.16.1.1 (with subnet mask 255.255.255.0), set the IP address of the first 10GbE port to 172.16.2.1 (with subnet mask 255.255.255.0) and change the IP address of the Tiger Client 10GbE port to be on the same subnet. For the next 10GbE port of the appliance, set IP address 172.16.3.1 (with subnet mask 255.255.255.0) and respectively change the IP address of the 10GbE port of a Tiger Client to be on the same subnet.

Another important thing is to add Tiger Serve to the storage servers list on each Fast LAN Tiger Client using the IP address set for a 10GbE port and not the Public port.

### **Synchronization of IP Settings Between Server Nodes**

To guarantee the failover between the two server nodes in the appliance, the network ports with identical names on both nodes (the Public ports, for example) must use consecutive IP addresses and identical settings for subnet, router and DNS server. In case you cannot meet these

requirements, the failover between server nodes cannot take place. When you configure the IP settings of one node, as long as the other node is also online, Tiger Serve attempts to automatically synchronize the IP settings and assigns the same settings for subnet, router and DNS server and a consecutive IP address of the port with the same name on the other server node. If the consecutive IP address on the network is already taken, Tiger Serve will assign a random IP address to the identical port of the other server node and failover between the two nodes will not be possible.

When one of the nodes is offline while you change the IP configuration settings of the other node, you must synchronize the IP settings of the two nodes manually, in order not to obstruct failover between server nodes. You can do this in the Node view of the respective server node.

## Migrating Replicated Files from One Replication Target to Another

While the Replication & Tiering mechanism of Tiger Serve doesn't restrict you about changing the replication target, to avoid problems, you should set a new replication target with caution and after careful planning. If you need to set a new replication target to which files to be copied, you should keep in mind that all already replicated files will be inaccessible from the new replication target. Additionally, offline files (replicated files that have a copy only on the replication target) cannot be retrieved unless they have a counterpart on the new replication target.

When changing the replication target of your shared storage, it is recommended to migrate all already replicated data from the previous replication target to the new one. The safest workflow to do this is to let the Replication & Tiering mechanism replicate it again on the new replication target. For the purpose, you have to make sure that:

- all already replicated files are available on the shared storage (note that lack of free space on your shared storage may hamper the process).
- the status of all already replicated files is not “replicated” but “normal” as the Replication and Tiering mechanism will skip files on the shared storage that are with “replicated” status and will not copy them to the new replication target.

You can achieve this following these steps:

- 1.** To ensure that each replicated file has an offline counterpart on the shared volume(s), in the drop-down box of the Volume Browser, select a volume with enabled replication and then click Rescan Volume.
- 2.** Repeat the above step for each volume on which replication is enabled.
- 3.** In the left pane of the Volume Browser, select the root of the volume and in the right pane select a folder and click Restore.

**Note:** *You have to manually select all offline files in the root of the volume and click Restore.*

4. Repeat the above step for each folder on each volume with enabled replication in order to restore all replicated files to their original locations.
5. In the Replication & Tiering page of the web UI, specify a new replication target.
6. In the Replication Options dialog, select “Do not replicate” and leave the Exceptions list empty.
7. In the left pane of the Volume Browser, select the root of the volume and in the right pane select a folder and click Make Offline, to revert all files from “Replicated” status to “Normal” status.

**Note:** *You have to manually select all restored file in the root of the volume and click Make Offline to revert their status to "Normal".*

**Important:** *Clicking Make Offline transfers the status of replicated files to "normal" only if the Replication & Tiering mechanism detects that the selected files don't have copies on the replication target. If you issue the command for a file with "replicated" status, which actually has a copy on the replication target, the command will replace the file on the shared storage with a stub file pointing to its copy on the replication target.*

8. Repeat the above step for each folder on each volume with enabled replication.
9. Set replication policy parameters for the new replication target to let the Replication & Tiering mechanism to copy all files.

## Restarting A Server Node While in Maintenance Mode

When you enter Maintenance mode, Tiger Clients are automatically disconnected from both server nodes of your Tiger Serve appliance, until you exit Maintenance mode in the web UI or restart the appliance. It is advisable not to restart just one server node (in node view) as it will exit Maintenance mode and will attempt to supervise the volumes managed by Tiger Serve, while the other node is in Maintenance mode and performs a maintenance operation.

## Setting Up the SAN Policy on Windows Tiger Clients

By default, on computers running Windows Vista and above all shared disks visible to the computer are delivered as offline and read-only. You can bring these disks to online mode in Disk Management, still, there's a possibility on the next boot of the system the disks to be offline again. To change this behaviour, you should make sure that the SAN policy of the operating system is set to "Online All". To view and set the SAN policy of your computer you can use diskpart.exe command-line utility that is stored in the system drive of your computer.

### To view and change the SAN policy of your computer:

1. Run command prompt as administrator.
2. In command prompt, start diskpart utility by typing:  
**diskpart**



3. To view the current SAN policy, type this followed by return:

**SAN**

The utility displays one of the following:

- Offline Shared - all newly discovered disks that do not reside on a shared bus are brought online and made read-write.
- Offline - all newly discovered disks remain offline and read-only.
- Online All - all newly discovered disks are brought online and made read-write.

4. Do one of the following:

- If the SAN policy of your computer is “Online All”, exit diskpart utility and command prompt.
- If the SAN policy of your computer is not “Online All”, proceed with the steps below.

5. Run command prompt as administrator.

6. In command prompt, start diskpart utility by typing:

**diskpart**

7. Execute the following:

**san policy=OnlineAll**

## Using Identical Time and Date Settings

It is advisable to use identical settings for time and date on all computers on your Tiger Serve network (the storage server and all client computers). Using different time and date settings may hamper communication with the storage server and the Traffic and Events reports may display incorrect information.

## Disabling Mac OS X Time Machine for Shared Volumes

It is highly advisable to exclude all volumes shared by Tiger Serve from the list of locations Time Machine is set to back up on your Mac OS X. Keeping this feature turned on for shared volumes may hamper performance.

**To exclude a shared volume from Time Machine's backup:**

1. In Time Machine preferences, click the Options button.
2. In the sheet with locations, select a shared Tiger Serve volume and click the "-" button.
3. Repeat the above step for each shared Tiger Serve volume.
4. Click Save.

## **Calculating Folder Size (Mac OS X)**

Use the Calculate Sizes option, available in List view of the Finder, to calculate sizes per folder and per window. Activate this option only for folders on your local disks. Do not enable it for folders on the shared storage volumes, as this will temporarily slow down performance. If you enable this option on a shared volume, network workstations that see the volume will be unable to work on it.

For details about managing the “Calculate Sizes” option, refer to your Mac OS X® documentation.

## **File Systems Behaviour and Files Compatibility**

The three operating systems (Windows, Mac OS X and Linux) on which you can install the Tiger Client software differ in the way they manage files. On Windows, files can have many streams, in contrast to Mac OS X (only 2 streams - data fork and resource fork), and Linux (only data stream). In addition, files created by Mac OS X also have extended attributes (such as the Finder Info, for example) that are not available on the other two platforms.

These peculiarities of the file systems lead to partial loss of information when transferring a file created on one platform through a machine running on another platform.

For instance, when on Mac OS X you copy a file with 50 streams created by Windows, all file streams' information is lost, except the information of the data stream. The result will be the same when a Linux computer copies a 50-stream Windows file. A Mac OS X file copied by Linux will also lose its resource fork's info.

Streams' information is not lost when copying Mac OS X or Linux files by a Windows computer, but in this case a Mac OS X file will lose the extended attributes information.

There is another problem with files sharing common file format. For example, a movie file created with Final Cut Pro on Mac OS X is playable by QuickTime. If a Windows workstation copies this file, it will not recognize it as QuickTime-playable until adding the \*.mov extension to it.

See also “Final Cut Pro Project Names on the Shared Volumes” on page 10.

## **Avoiding Long File Names**

As a limitation of the file system, it is advisable to avoid long file names in order to ensure that file operations on the shared storage are normally processed.

## **Final Cut Pro Project Names on the Shared Volumes**

It is advisable that the Final Cut Pro projects you create on the shared volumes have names that do not exceed 31 symbols.

## New Known Issues

### Teaming Network Ports Known Issues

After enabling/disabling the setting for teaming of network ports, the web interface may display error, whereas the setting is actually applied.

Additionally, on a Tiger Serve appliance with 2 server nodes the support for network ports teaming is provided with the following limitations:

- The setting for network ports teaming is not automatically synchronized across server nodes and you have to manually enable/disable the setting in node view of the standby server node.
- You should manually specify the IP address of the teamed network ports in node view of the secondary server, taking care to assign a consecutive IP address in the same subnet as the IP address of the teamed ports in cluster view.

### Restoring Offline Files after Rename of Containing Folder

You may fail to restore from the replication tier an offline file (by double-clicking it), if you have renamed the folder that contains it with the name of a deleted folder that also contained an offline file. In this case, the replication and tiering module will attempt to restore the offline file from the deleted folder instead of the current one. A workaround to the problem is to rescan the whole volume in the Volume Browser - this will restore both folders with their original names and each will contain its offline files, which you can restore by double-clicking them.

### Restoring Deleted projectStore Project from the Replication Tier

Should you delete a replicated project in the projectStore web interface, its contents is automatically moved to a Trash folder on your replication tier. To be able to restore the project on your main storage, you should:

- on a network share as a replication tier - manually move the project from the Trash folder to the Projects folder and then rescan the Volume in order to re-generate the deleted files as stub files, which you can then restore.
- on a DDN WOS replication tier, rescan the volume and regenerate the deleted data as stub files and then contact Tiger Technology support for assistance on moving the data from the hidden Trash folder to the Projects folder.

## **Saving Final Cut Pro X Voiceover Directly on a Shared Volume**

You cannot save a Final Cut Pro X voiceover directly on a shared volume. A workaround to the problem is to save the voiceover to a local or external HFS+ volume and then manually move it into the FCPX library.

## **Disabling Automatic Defragmentation of Volumes**

By default, the automatic defragmentation is enabled on all shared volumes, although the check box on the Shared Volume page is initially cleared. To disable automatic defragmentation, you should first select the “Enable automatic defragmentation” check box and then clear it. From then on, the automatic defragmentation setting depends on whether the check box is selected or cleared.

## **Unresolved Known Issues**

### **LAN Clients Taking Up SAN Client Licenses**

When a Tiger Client sends a request to Tiger Serve for connection to the shared volumes, the storage server checks the number of currently available licenses for this type of connection (SAN, Fast LAN or LAN) and if a license is available, lets the Tiger Client mount the volumes. If all connections for this type are already in use, the storage server lets the Tiger Client mount the volume(s) using another type of connection as long as such is available. While this lets Fibre Channel clients mount the volumes over the Ethernet when there’s a problem with the FC HBA or port, or all SAN connections are already in use, it is possible a LAN client to take up a SAN connection and thus prevent a SAN computer from mounting the volumes, because all SAN connections are already in use. A workaround to this problem is to manually free the connection, by disconnecting the LAN computer in the Clients page of the web interface.

### **Mac OS X Tiger Clients Mounting NTFS Stripe Partitions over the LAN**

Currently, Mac OS X Tiger Clients can mount just the first partition of a striped NTFS volume over the Fibre Channel and all other partitions are mounted over the Ethernet.

### **Label of SAN Disks Missing in Windows Explorer of Windows 7/Server 2008 R2/Server 2012 Tiger Clients**

On some Windows 7/8/Server 2008 R2/Server 2012 Tiger Clients, the label of shared volumes mounted over the Fibre Channel may be missing in Windows Explorer.

To attempt to resolve the problem restart the Tiger Client computer or disconnect and then reconnect to Tiger Serve:

1. Click the Tiger Client tray application and then click Connect/Disconnect.
2. In the list of all storage servers, click the Tiger Serve appliance to disconnect from it.
3. Again click Connect/Disconnect and click the Tiger Serve appliance in the list to connect to it.

## **Specifying Name and Preferred Mount Location of a Volume Pool**

You cannot rename a smart storage pool or set preferred mount location on Windows Tiger Clients.

## **Mac OS X Tiger Clients Mounting NTFS Stripe Partitions over the LAN**

Currently, Mac OS X Tiger Clients can mount just the first partition of a striped NTFS volume over the Fibre Channel and all other partitions are mounted over the Ethernet.

## **Volume Disappears from Web UI during Check and Repair Procedure**

While you perform the Check & Repair procedure on a Tiger Serve volume, it is not listed in the web UI. Once the procedure finishes, you can manage the volume in the web interface again.

## **Only Automatic Defragmentation of Volumes Available**

Currently, you cannot perform manual defragmentation of your volumes. To keep your volumes defragmented it is advisable to enable the automatic defragmentation.

## **Exporting a SMB Share in Domain Environment**

To ensure that Tiger Serve can export a SMB share to computers without the Tiger Client software, when your appliance is deployed in an Active Directory domain, the domain account “Everyone” must have at least Read Only access to the root of the volume from which the share is exported.

## **Mounting a Storage Pool on Tiger Client in Domain Environment**

In case you have deployed your Tiger Serve in Active Directory domain and smart storage pooling is enabled, Windows Tiger Clients may fail to mount the storage pool unless the group ‘Everyone’ has Read access to the virtual volume.

## **Incorrect Connection Status on Tiger Clients Running Mac OS X**

The Tiger Client software on Mac OS X may sometimes fail to correctly display the connection status to the Tiger Serve appliance. For example, the Settings dialog of the Tiger Client menulet may display that the Tiger Serve is online, when it is actually offline. Another example is when the Tiger Client loses its Fibre Channel connection to the appliance and mounts the volume(s) over the LAN, while the volume icons in the Finder and on the desktop are not of volumes mounted over the Ethernet. Additionally, in this case Tiger Clients running Mac OS X may fail to disconnect from the volume(s).

## **Allowing smct.app and vpd During Tiger Client Installation on Mac OS X**

During installation of Tiger Client on Mac OS X, even if you specify that smct.app and the vpd daemon must be added as firewall exceptions, you should manually allow them in the firewall database of your computer. Note that as long as the firewall of your computer is turned on, you will have to add them to the firewall database after each reboot of the computer.

## **Connecting to a Newly Added Secondary Node from Tiger Clients**

If you have added a Tiger Serve appliance on a Tiger Client's list of storage servers, while only one of its server nodes has been online, when you turn on the other server node, the Tiger Client computer will not be able to automatically connect to it (in case of failover, for example). To detect both server nodes, you will have to remove the appliance from the storage servers' list and then add it again.

## **Re-adding a Tiger Serve Appliance to the Storage Servers List**

In case you have added a Tiger Serve appliance to your storage servers list when only one of its nodes has been online, when the other server node is also online and an IP address is assigned to it, you may have to remove the appliance from the list and add it anew, in order to ensure that in case of failover you can connect to it.

## **Connect to Tiger Serve from Mac OS X Without DNS Server**

If there isn't a DNS server on the network through which a Mac OS X Tiger Client communicates with Tiger Serve, the Tiger Client computer will fail to connect to the storage server and mount its volumes.

A workaround to the problem is to add an entry about each node of the storage server you want to connect to in the hosts file on the Mac OS X Tiger Client:

1. In Terminal, type:  

```
sudo nano /etc/hosts
```
2. At the end of the hosts file, add a new line for each storage server you want to connect to, which contains the following:  

```
[IP address of the storage server] [name of the storage server]
```

For example, if your Tiger Serve has two server nodes that use respectively 172.16.1.1 and 172.16.1.2 as IP addresses and the name of the appliance in the web UI is Tiger Serve, in the hosts file enter the following lines:  

```
172.16.1.1 Tiger Serve1
172.16.1.2 Tiger Serve2
```
3. Press CTRL+X, then Y and then Enter to exit the nano editor and save the changes.
4. Restart the Tiger Client.

## Applying New Network Environment Settings

It is possible when changing the settings for network environment (domain or workgroup) of your appliance after clicking the Apply button in the Settings page an error to be displayed, when in fact the changes have been applied. It is advisable to refresh the web UI of Tiger Serve in order to verify whether the new settings have been applied.

## Renaming the Appliance

Should you rename your Tiger Serve appliance after it has been added to an Active Directory domain, Tiger Clients may fail to browse the volumes it shares even if they re-add it to their storage servers list. It is advisable before renaming the appliance, to set the network environment to workgroup and manually delete the records about the appliance from the domain controller. It is advisable to do this each time you switch the network environment of your Tiger Serve from domain to workgroup.

## Moving Replicated or Offline Files/Folders

If you move a replicated or offline file/folder from its original location to a folder that is not subject to replication on the shared storage, this folder will also appear on the replication target, but will contain just the files/folders that are subject to replication. For example, if you move an offline file “Report” from its original folder “April” to folder “Drafts” that is not subject to replication and contains other files as well, the replication and tiering mechanism of Tiger Serve will create on the replication target a folder “Drafts”, but containing just the file “Report”.

## Importing Offline Dynamic Disks in Maintenance Mode

Offline dynamic disks cannot be imported when your Tiger Serve appliance operates in Maintenance mode. To import offline disks, you have to exit Maintenance mode.

## Incorrect LAN Traffic Statistics

If you monitor the LAN traffic statistics of Tiger Serve by accessing its web interface through the secondary node (the server node that is in standby mode), the graph will display no LAN traffic. To view the actual statistics, open the web interface using the IP address of the current primary node.

## Errors When Entering/Exiting Maintenance Mode

When entering/exiting Maintenance mode, the web UI of Tiger Serve may display errors, when in fact the operation has succeeded. To verify that you have entered/exited Maintenance mode, refresh the browser. If on exiting Maintenance mode the error persists, restart the storage server.

## Emptying the Trash of a Mac OS X Client

When Tiger Serve is deployed in an Active Directory domain and a Mac OS X domain user moves a file from the Tiger Serve storage to the Trash of the client computer, that user may fail to permanently delete the file.

You can permanently delete this file either in Terminal on the Mac OS X computer, or from a Windows client.

### To permanently delete the file from Terminal on Mac OS X:

1. On the Mac OS X client computer, log on as a user with Full Control on the Tiger Serve volume.
2. Start Terminal and navigate to the Tiger Serve volume.
3. In the volume, navigate to the **.Trashes** folder and in it find the folder that has the same name as the ID of the Mac OS X user whose Trash you want to empty.

**Important:** Double check that you are in the correct directory. You can use the **pwd** command to view the full path and verify the correct directory.

4. In Terminal type this followed by return:

**Important:** This command deletes the whole content of the directory you have navigated to in Terminal.

```
rm -rf *
```

The whole contents of the Trash of the user is permanently deleted.



**To permanently delete the file from Windows:**

1. On a Windows client computer, log on as a user with Full Control on the Tiger Serve volume.
2. On the Tiger Serve volume, browse to the **.Trashes** folder.

**Note:** *You may have to unhide the hidden folders on the Tiger Serve volume to display the ".Trashes" folder.*

3. In the **.Trashes** folder, find the folder that has the same name as the ID of the Mac OS X user whose Trash you want to empty.
4. Delete the file from the folder.

**Executing Operation on the Tiger Serve Volume from Terminal**

When Tiger Serve is deployed in an Active Directory domain, you won't be able to execute certain operations on the Tiger Serve volume(s) from the Terminal of a Mac OS X client computer even if you have logged on as a user that has Full Control. These security mapping issues are not valid for operations performed in the file browser.

**Disconnecting from a Shared Volume While Browsing it in Terminal on Mac OS X/Linux**

On Mac OS X and Linux, if you attempt to disconnect from Tiger Serve while browsing its volume(s) in the Terminal, the volume(s) might remain mounted on the Desktop and in the Finder. To be able to disconnect the Tiger Client, in Terminal change the currently browsed directory to one that is not on the shared storage.

**Mirrored/Spanned Volumes Mounted Over LAN on Mac OS X and Linux**

Currently mirrored/spanned SAN volumes can be mounted on Mac OS X/Linux SAN Tiger Clients only over the LAN. Such volumes are mounted normally on Windows SAN Tiger Clients.

**No Support for Spotlight Indexing**

Currently, Spotlight Indexing is not supported on Mac OS X Tiger Clients. To index and search through shared volumes from Tiger Clients running Mac OS X, use Spotlight alternatives.

**No Support for Indexing Service on Shared Volumes**

Currently, Tiger Serve does not support the Windows indexing service on shared volumes mounted on Tiger Clients.

## **No Support for Sparse Files**

Tiger Serve does not provide support for sparse files on SAN volumes.

## **No Authorization Required When Removing Tiger Serve from the Domain**

If you decide to switch your Tiger Serve from domain to workgroup environment, the domain controller does not require that you authenticate yourself as a user authorized to remove computers from the domain.